

The logo for American Chef is displayed in a metallic, brushed-aluminum style frame. The word "American" is in black with a white outline, and "Chef" is in red with a white outline. The background of the frame has a subtle geometric pattern.

# American Chef

2024 Catalogue


A photograph of a chef in a dark jacket working in a professional kitchen. The chef is seen from behind, focused on a task. The kitchen is well-lit with stainless steel surfaces, a large range hood, and various pieces of equipment. In the foreground, there is a glass display case containing stacks of plates and other kitchenware.

**Premium Equipment**  
for Every Chef's Needs

**Product Catalogue**



**[www.americanchef.ca](http://www.americanchef.ca)**  
121 McLean Drive, Vancouver, BC, V5L 5E7





<b>Draft Beer Coolers</b>	<b>..... 4</b>
<b>Back Bar Coolers</b>	<b>..... 6</b>
<b>Display Cases</b>	<b>..... 6-7</b>
<b>Chest Freezers</b>	<b>..... 8-9</b>
<b>Refrigerated Prep Tables</b>	<b>..... 10-13</b>
<b>Glass Reach-In Freezers &amp; Coolers</b>	<b>..... 14-15</b>
<b>Reach-In Freezers &amp; Coolers</b>	<b>..... 16</b>
<b>Under Counter Freezers &amp; Coolers</b>	<b>..... 17-18</b>
<b>Warranty &amp; About American Chef</b>	<b>..... 19</b>





### Draft Beer Cooler 72"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BBDD3-72B	73 1/16 x 24 7/16 x 51
<b>Capacity</b>	<b>Voltage</b>
3 Half Barrels	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Draft Beer Cooler 30"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BBDD1-30B	29 15/16 x 24 1/8 x 51 1/8
<b>Capacity</b>	<b>Voltage</b>
1 Keg	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Draft Beer Cooler 49"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BBDD2-49B	49 1/8 x 24 7/16 x 51
<b>Capacity</b>	<b>Voltage</b>
2 Half Barrels	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Draft Beer Cooler 61"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BBDD2-61B	61 1/16 x 24 7/16 x 51
<b>Capacity</b>	<b>Voltage</b>
2 Half Barrels	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

# Back Bar Coolers

AmericanChef



## Back Bar Cooler 59"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BB2-59G	58 3/4 x 27 5/8 x 42 1/2
<b>Capacity</b>	<b>Voltage</b>
20 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Back Bar Cooler 69"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BB2-69G	69 x 27 5/8 x 42 1/2
<b>Capacity</b>	<b>Voltage</b>
24 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Back Bar Cooler 90"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BB3-90G	90 3/8 x 27 5/8 x 42 1/2
<b>Capacity</b>	<b>Voltage</b>
32 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



## Back Bar Cooler 59"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BB2-59	58 3/4 x 27 5/8 x 42 1/2
<b>Capacity</b>	<b>Voltage</b>
20 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Back Bar Cooler 69"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BB2-69	69 x 27 5/8 x 42 1/2
<b>Capacity</b>	<b>Voltage</b>
24 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Back Bar Cooler 90"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
BB3-90	90 3/8 x 27 5/8 x 42 1/2
<b>Capacity</b>	<b>Voltage</b>
32 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Curved Display Case 36"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DS35	35 3/8 x 31 1/2 x 53 1/2
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Curved Display Case 48"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DS48	47 3/16 x 31 1/2 x 53 1/2
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Curved Display Case 60"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DS60	59 1/8 x 31 1/2 x 53 1/2
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Curved Display Case 72"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DS72	70 7/8 x 31 1/2 x 53 9/16
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Curved Display Case 80"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DS80	78 3/4 x 31 1/2 x 53 9/16
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Curved Display Case 94"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DS94	94 1/2 x 31 1/2 x 53 9/16
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

# Squared Display Cases



## Squared Display Case 36"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DSF35	35 3/8 x 31 1/2 x 53 1/2
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Squared Display Case 48"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DSF48	47 3/16 x 31 1/2 x 53 1/2
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Squared Display Case 60"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DSF60	59 1/8 x 31 1/2 x 53 1/2
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



## Squared Display Case 72"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DSF72	70 7/8 x 31 1/2 x 53 9/16
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Squared Display Case 80"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DSF80	78 3/4 x 31 1/2 x 53 9/16
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Squared Display Case 94"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
DSF94	94 1/2 x 31 1/2 x 53 9/16
<b>Shelves</b>	<b>Voltage</b>
3 Shelves	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
39~45°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor





### Solid Door Chest Freezer 38"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-38	37 1/2 x 23 1/8 x 31 15/16
<b>Capacity</b>	<b>Voltage</b>
7.1 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Solid Door Chest Freezer 47"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-47	47 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
11 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Solid Door Chest Freezer 55"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-55	55 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
13.4 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Solid Door Chest Freezer 71"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-71	70 5/8 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
18.2 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Flat Door Chest Freezer 38"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-38OFG	37 1/2 x 23 1/8 x 31 15/16
<b>Capacity</b>	<b>Voltage</b>
7.1 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Flat Door Chest Freezer 47"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-47OFG	47 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
9.7 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



# Chest Freezers



## Flat Door Chest Freezer 55"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-55OFG	55 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
11.8 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Flat Door Chest Freezer 71"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-71OFG	70 5/8 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
16.1 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Curved Door Chest Freezer 38"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-38OCG	37 1/2 x 23 1/8 x 31 15/16
<b>Capacity</b>	<b>Voltage</b>
7.1 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



## Curved Door Chest Freezer 47"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-47OCG	47 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
9.7 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Curved Door Chest Freezer 55"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-55OCG	55 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
11.8 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Curved Door Chest Freezer 71"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
CHF-71OCG	70 5/8 x 29 x 33 1/4
<b>Capacity</b>	<b>Voltage</b>
16.1 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



**Pizza Prep Table 47"**

Model Number	Dimensions(W"xD"xH")
PR1-44S	47 3/8 x 32 1/4 x 41 5/16
Capacity	Voltage
12 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor



**Pizza Prep Table 70"**

Model Number	Dimensions(W"xD"xH")
PR2-67S	70 3/4 x 32 1/4 x 41 5/16
Capacity	Voltage
22 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor



**Pizza Prep Table 94"**

Model Number	Dimensions(W"xD"xH")
PR3-93S	94 3/16 x 32 1/4 x 41 5/16
Capacity	Voltage
32 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor



**Pizza Prep Table 47" 2 Drawers**

Model Number	Dimensions(W"xD"xH")
PR1-44S2D	47 3/8 x 32 1/4 x 41 5/16
Capacity	Voltage
12 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor



**Pizza Prep Table 70" 2 Drawers**

Model Number	Dimensions(W"xD"xH")
PR2-67S2D	70 3/4 x 32 1/4 x 41 5/16
Capacity	Voltage
22 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor



**Pizza Prep Table 94" 2 Drawers**

Model Number	Dimensions(W"xD"xH")
PR3-93S2D	94 3/16 x 32 1/4 x 41 5/16
Capacity	Voltage
32 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor

## Pizza & Sandwich Prep Tables



### Pizza Prep Table 94" 4 Drawers

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
PR3-93S4D	94 3/16 x 32 1/4 x 41 5/16
<b>Capacity</b>	<b>Voltage</b>
32 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Pizza Prep Table 94" 6 Drawers

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
PR3-93S6D	94 3/16 x 32 1/4 x 41 5/16
<b>Capacity</b>	<b>Voltage</b>
32 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Sandwich Prep Cooler 29"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR1-29S	29 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
7 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Sandwich Prep 29" 2 Drawer

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR1-29-2D	29 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
7 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Sandwich Prep Cooler 36"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR2-36S	36 3/16 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
7.7 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Sandwich Prep Cooler 48"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR2-48S	48 3/16 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
12 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Sandwich Prep 48" 2 Drawer

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR2-48-2D	48 3/16 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
12 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Sandwich Prep 48" 4 Drawer

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR2-48-4D	48 3/16 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
12 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Sandwich Prep 60"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR2-60	61 3/16 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
15.5 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Sandwich Prep 60" 2 Drawer

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR2-60-2D	61 3/16 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
15.5 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Sandwich Prep 60" 4 Drawer

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR2-60-4D	61 3/16 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
15.5 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Sandwich Prep 72"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
SR3-72S	71 3/4 x 30 x 43 3/16
<b>Capacity</b>	<b>Voltage</b>
18 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



# Mega Top Prep Coolers

# AmericanChef



## Mega Top Prep Cooler 29"

Model Number	Dimensions(W"xD"xH")
SR1-29M	29 x 34 1/2 x 43 3/16
Capacity	Voltage
7 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor

## Mega Top Prep Cooler 36"

Model Number	Dimensions(W"xD"xH")
SR1-36M	36 3/16 x 34 1/2 x 43 3/16
Capacity	Voltage
7.7 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor



## Mega Top Prep Cooler 48"

Model Number	Dimensions(W"xD"xH")
SR2-48M	48 3/16 x 34 1/2 x 43 3/16
Capacity	Voltage
12 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor

## Mega Top Prep Cooler 60"

Model Number	Dimensions(W"xD"xH")
SR2-60M	61 3/16 x 34 1/2 x 43 3/16
Capacity	Voltage
15.5 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor

## Mega Top Prep Cooler 72"

Model Number	Dimensions(W"xD"xH")
SR3-72M	71 3/4 x 34 1/2 x 43 3/16
Capacity	Voltage
18 Cubic ft.	115V/60Hz
Temperature	Plug Type
33~41°F	Nema 5-15P
Refrigerant	Warranty (Years)
R290	2 Year & 5 Compressor



# Glass Reach-in Freezers



## Glass Reach-in Freezer 27"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F1G-27	26 3/4 x 31 7/8 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
23 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Glass Reach-in Freezer 27"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F1G-27-WS	26 3/4 x 31 7/8 x 79 1/2
<b>Capacity</b>	<b>Voltage</b>
23 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Glass Reach-in Freezer 27"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F1G-27B	26 3/4 x 31 7/8 x 79 1/2
<b>Capacity</b>	<b>Voltage</b>
23 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



## Glass Reach-in Freezer 54"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F2G-54	53 15/16 x 31 7/8 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
49 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Glass Reach-in Freezer 54"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F2G-54-WS	53 15/16 x 31 7/8 x 79 1/2
<b>Capacity</b>	<b>Voltage</b>
48 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Glass Reach-in Freezer 54"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F2G-54B	53 15/16 x 31 7/8 x 79 1/2
<b>Capacity</b>	<b>Voltage</b>
48 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~0°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

# Glass Reach-in Coolers



## Glass Reach-in Cooler 27"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R1G-27	26 3/4 x 31 7/8 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
23 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Glass Reach-in Cooler 27"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R1G-27-WS	26 3/4 x 31 7/8 x 79 1/2
<b>Capacity</b>	<b>Voltage</b>
23 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Glass Reach-in Cooler 27"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R1G-27B	26 3/4 x 31 7/8 x 79 1/2
<b>Capacity</b>	<b>Voltage</b>
23 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



## Glass Reach-in Cooler 54"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R2G-54	53 15/16 x 31 7/8 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
49 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Glass Reach-in Cooler 54"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R2G-54-WS	53 15/16 x 31 7/8 x 79 1/2
<b>Capacity</b>	<b>Voltage</b>
48 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Glass Reach-in Cooler 54"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R2G-54B	53 15/16 x 31 7/8 x 79 1/2
<b>Capacity</b>	<b>Voltage</b>
48 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



# Reach-in Freezers & Coolers



## Reach-in Cooler 27"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R1S-27	26 3/4 x 32 11/16 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
23 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Reach-in Cooler 54"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R2S-54	54 x 32 11/16 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
49 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Reach-in Cooler 81"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
R3S-81	81 x 32 11/16 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
72 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



## Reach-in Freezer 27"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F1S-27	26 3/4 x 32 11/16 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
23 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Reach-in Freezer 54"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F2S-54	54 x 32 11/16 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
49 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Reach-in Freezer 81"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
F3S-81	81 x 32 11/16 x 82 5/16
<b>Capacity</b>	<b>Voltage</b>
72 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10°F	Nema L14-20P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



# Under Counter Coolers



## Under Counter Cooler 28"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
RUC1-28S	27 3/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
6.5 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Under Counter Cooler 48"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
RUC2-48S	48 1/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
12 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Under Counter 48" 2 Drawers

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
RUC2-48S2D	48 1/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
12 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



## Under Counter Cooler 60"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
RUC2-60S	61 1/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
15.5 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Under Counter 60" 2 Drawers

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
RUC2-60S2D	61 1/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
15.5 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Under Counter Cooler 72"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
RUC3-72S	71 3/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
18 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
33~41°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor



### Under Counter Freezer 28"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
FUC1-28S	27 3/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
6.5 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~10°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 & 5 year Compressor

### Under Counter Freezer 48"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
FUC2-48S	48 1/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
12 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~10°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

### Under Counter Freezer 60"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
FUC2-60S	61 1/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
15.5 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~10°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

**WORK TOP  
UNDER  
COUNTERS**



### Under Counter Freezer 72"

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
FUC3-72S	71 3/4 x 29 15/16 x 35 1/2
<b>Capacity</b>	<b>Voltage</b>
18 Cubic ft.	115V/60Hz
<b>Temperature</b>	<b>Plug Type</b>
-10~10°F	Nema 5-15P
<b>Refrigerant</b>	<b>Warranty (Years)</b>
R290	2 Year & 5 Compressor

## Customer's Freight Damage Procedure

- 1. Inspect Shipment for Damage:** Upon delivery, carefully inspect the shipment for any visible signs of damage. This includes checking the outer packaging for dents, tears, or other indications of mishandling.
- 2. Mark Freight Bill "Damaged":** If any damage is observed, clearly mark the freight bill as "damaged" before signing it.
- 3. Notify Carrier Within 48 Hours:** Report any damages to the carrier within 48 hours of receipt to initiate the claims process.
- 4. File Freight Claim and Schedule Inspection:** File a freight claim with the carrier and schedule an inspection of the damaged goods. Provide the carrier with all necessary documentation.
- 5. Note Condition on Freight Bill and Sign:** Accurately note the condition of the shipment on the freight bill and ensure it is signed by the delivery personnel as proof of damage at the time of delivery.
- 6. Request Inspection Report:** Obtain an inspection report from the carrier's representative to document the extent of the damage.
- 7. Retain All Cartons and Merchandise:** Retain all original cartons, packaging materials, and damaged merchandise until the freight claim is resolved and you receive further instructions.

## Two (2) Year Parts and Labor Warranty

- 1. Coverage:** This warranty covers defects in material and workmanship under normal use and maintenance, including mechanical and electrical components.
- 2. Warranty Period:** The warranty period is two years from the date of purchase or 28 months from the date of shipment from our facility, whichever comes first.
- 3. Exclusions:** This warranty does not cover normal wear parts such as bulbs, gaskets, fuses, and handles. It also excludes damages caused by misuse, abuse, or unauthorized modifications.
- 4. Labor Warranty:** The labor warranty covers repair services for self-contained units during normal working hours (8 AM - 5 PM, Monday to Friday). After-hours service, holiday service, and overtime are not covered.
- 5. Remote Locations:** Coverage in remote locations is limited. Travel time covered is up to 50 kilometers from the nearest authorized service provider. Additional travel expenses may apply for farther distances.
- 6. Improper Operation:** Issues arising from improper operation, such as lack of regular cleaning, incorrect voltage, or installation not in accordance with provided instructions, are not covered by this warranty.

## Additional Three (3) Year Compressor Part Warranty

- 1. Coverage:** This warranty extends the coverage for the compressor part only for an additional three years beyond the initial two-year warranty period, totaling five years of compressor coverage.
- 2. Exclusions:** This warranty does not cover freight charges, electrical controls, labor charges, or any other associated costs related to the compressor repair or replacement.
- 3. Operating Conditions:** The unit must be installed in a level and stationary position. This warranty excludes mobile units or any unit subject to movement during operation.

## Limitation of Liability

- 1. Liability:** American Chef will not be liable for any indirect, incidental, special, or consequential damages, including but not limited to, loss of revenue, profit, or data, or other financial loss arising out of or in connection with the use or inability to use the product.
- 2. Exclusive Remedy:** The exclusive remedy under this warranty is the repair or replacement of defective parts, as determined by American Chef.
- 3. Non-Assignable:** This warranty is for the original purchaser only and is non-assignable. Proof of purchase may be required for warranty claims.
- 4. Geographic Limits:** This warranty is valid only in the USA and Canada. Claims outside these regions are not covered.
- 5. Disclaimers:** Any other warranties, whether express or implied, including but not limited to, implied warranties of merchantability and fitness for a particular purpose, are disclaimed to the fullest extent permitted by law.

## Exclusions from Claims

- No Consequential Damages:** This warranty does not cover any consequential damages, including loss of sales, spoilage of products, or any other indirect losses resulting from the failure of the equipment.
- American Chef's warranty does not cover any products that are used in mobile kitchens, including food trucks and trailers.** This exclusion applies to all parts and components subjected to the unique conditions and stresses of mobile environments.

## Special Note

Changes: Specifications, terms, and conditions are subject to change without notice. American Chef reserves the right to make changes to the design and functionality of its products without obligation to retrofit previously sold units.



## About American Chef

# AmericanChef

At American Chef, quality is our top priority. Our commercial foodservice equipment is designed to meet and exceed industry standards for safety, quality, reliability, and sanitation. Crafted to endure the rigorous demands of daily use, our products promise long-lasting performance. We stand behind every item we sell with confidence.

Our core philosophy revolves around Value, Quality, and Service. These principles are the foundation of everything we do at American Chef. Every product we manufacture is a testament to this commitment. Below, you will find descriptions of the quality and safety certifications our products carry, along with information about the organizations that validate these standards.



### Intertek

Intertek is a global leader employing over 33,000 people in 100 countries, providing product testing and certification services across various industries, including food service. Key accreditations in our industry include:

### ETL Listing

The ETL Listed Mark indicates compliance with North American safety standards for electrical, gas, and other safety criteria. Recognized by authorities in 50 states and Canada, the ETL Listed Mark is trusted by major retailers and featured on millions of products.



### NSF

International certifies products and establishes safety standards for food, water, and consumer goods. As an independent not-for-profit organization, NSF is dedicated to ongoing public health and safety. Collaborating with ANSI (American National Standards Institute), NSF has developed numerous health and safety standards utilized in the foodservice industry.

### ETL Sanitation

This certification signifies that products have been tested by Intertek to meet ANSI/NSF standards for national sanitation requirements. It assures that products are safe for use in food production.





# AmericanChef



1-866-450-CHEF



[info@americanchef.ca](mailto:info@americanchef.ca)



[www.americanchef.ca](http://www.americanchef.ca)

121 McLean Drive,  
Vancouver, BC, V5L 5E7



# Mixers



## Food Mixer 7 qt

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
MP-7	16.5x9.4x16.7
<b>Capacity</b>	<b>Voltage</b>
1.20kg	120V/60Hz/1 Nema 5-15P
<b>Power/HP</b>	<b>Transmission</b>
280w/0.38hp/2.3 Amp	Gear Drive
<b>Flour Capacity</b>	<b>Warranty (Year)</b>
3.3lbs (1.5kg)	1 Year Parts & Labor

## Planetary Mixer 10 qt

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
MP-10	15.6x15.6x24
<b>Capacity</b>	<b>Voltage</b>
3.2kg	120V/60Hz/1 Nema 5-15P
<b>Power/HP</b>	<b>Transmission</b>
550w/1hp/ 4.5 Amp	Gear Drive
<b>Flour Capacity</b>	<b>Warranty (Year)</b>
4.5lbs (2kg)	1 Year Parts & Labor

## Planetary Mixer 20 qt

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
MP-20	21.9x22x31.3
<b>Capacity</b>	<b>Voltage</b>
8kg	120V/60Hz/1 Nema 5-15P
<b>Power/HP</b>	<b>Transmission</b>
1100w/1.5hp/9.1 Amp	Gear Drive
<b>Flour Capacity</b>	<b>Warranty (Year)</b>
10lbs (5kg)	1 Year Parts & Labor



## Planetary Mixer 30 qt

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
MP-30	22.8x24x44.9
<b>Capacity</b>	<b>Voltage</b>
11.3kg	120V/60Hz/1 Nema 5-15P
<b>Power/HP</b>	<b>Transmission</b>
1500w/2.0hp/12.5 Amp	Gear Drive
<b>Flour Capacity</b>	<b>Warranty (Year)</b>
13.2lbs (6kg)	1 Year Parts & Labor

## Planetary Mixer 40 qt

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
MP-40	22.8x24x44.9
<b>Capacity</b>	<b>Voltage</b>
15kg	120V/60Hz/1 Nema 5-15P
<b>Power/HP</b>	<b>Transmission</b>
2200w/3.0hp/18.3 Amp	Gear Drive
<b>Flour Capacity</b>	<b>Warranty (Year)</b>
21lbs (9.5kg)	1 Year Parts & Labor

## Planetary Mixer 60 qt

<b>Model Number</b>	<b>Dimensions(W"xD"xH")</b>
MP-60	41.3x27.6x57.3
<b>Capacity</b>	<b>Voltage</b>
24kg	380V/50HZ/3 or custom Ph Hardwired
<b>Power/HP</b>	<b>Transmission</b>
3000w/4.0hp/8.68Amp	Gear Drive
<b>Flour Capacity</b>	<b>Warranty (Year)</b>
33lbs (15kg)	1 Year Parts & Labor